Bracket 45/45



- Brackets with centering lugs for rapid, precise assembly with protection against turning
- Centering lugs can be easily broken off for assembly on plates or at right angles to the slot
- Version *designLINE* with special silver paint (RAL 9006) for an especially high-quality design
- Sliding block offset for off-center positioning of the 45/45 bracket
- Cover cap to protect from dirt, available in signal gray (RAL 7004) and black ESD (RAL 9005)

- Profile finishing: not required

Assembly-Technology, PDF version, 2021-11-30, © Bosch Rexroth AG, subject to change.
Valid edition only on the Internet. Copies of any type are not subject to change.

Product description





Connection elements, selection criteria

Technical data

	Groove	ESD	Material entry			
				F_{max}	M_{max}	M_{max}
				N	Nm	Nm
Bracket	10		Bracket: Diecast aluminum, vibratory ground Fastening material: steel; galvanized	3000	60	160
	10		Bracket *designLINE*: Diecast aluminum; vibratory ground, painted (RAL 9006) Fastening material: steel; galvanized	3000	60	160
	10		Bracket: Diecast aluminum, vibratory ground	3000	60	160
Cover cap for bracket			PP			
			PP			
Bracket 45x45	10		Sliding block, offset: PA; black			

Dimensions

45/45 bracket with cover cap



Accessories

Recommended accessories

Sliding block, offset

Cover cap for bracket 45/45, signal gray

Cover cap for bracket 45/45, black

Delivery notes

FS7



Ordering codes

	Groove	ESD	FS	No.
Bracket 45x45 set (standard) [1]	10		2xFS7	3842523561
Bracket 45x45 set design*LINE* [1]	10		2xFS7	3842551606
Bracket (standard) 45x45	10			3842523558
Cover cap for bracket 45/45, signal gray				3842548862
Cover cap for bracket 45/45, black				3842548863
Bracket 45x45 offset sliding block	10			3842523593

1) Set incl. fastening material